

PSEUDOEURYCEA BELLI BELLII (NCN). PREDATION. In July 1994, while collecting reptiles in a pine-oak forest, a *Pseudoeurycea b. belli* (MZFC-6841, 69 mm SVL, sex unknown) was regurgitated by a *Rhadinaea t. taeniata* (MZFC-6803, 485 mm SVL) at El Tapeixtle, near El Terrero, Municipality of Minatitlán, Colima, México, elevation 2310 m. The salamander's tail was broken, but the body was intact. According to Myers (1974, Bull. Amer. Mus. Nat. Hist. 153(1):220), *Pseudoeurycea b. belli* has not been recorded previously as prey for *Rhadinaea t. taeniata*. The only other prey item recorded for *R. t. taeniata* is *Anolis* sp. This record increases the number of species of *Rhadinaea* that feed on plethodontid salamanders to 11 (see Myers 1974, *op. cit.*; Mendoza-Quijano and Rendon-Rojas 1995, Herpetol. Rev. 26:40).

We thank Claudio Mendoza Paz, Mario Mancilla, and Alfonso Delgadillo for help in the field. Financial assistance was provided by the Dirección General de Asuntos del Personal Académico (DGAPA) proyecto INZ01789 and NSF.INT 60091.

Submitted by **FERNANDO MENDOZA-QUIJANO**, Museo de Zoología, Facultad de Ciencias, UNAM, Apdo. Post. 70-399, D.F. 04510 México, **ALICIA LOEZA-CORICHI**, Instituto Manantlán de Ecología y Biodiversidad, Universidad de Guadalajara, Nicolás Bravo #66, El Grullo, Jalisco, C.P. 48740, México, and **OSCAR FLORES-VILLELA**, Museo de Zoología, Facultad de Ciencias, UNAM, Apdo. Post. 70399, D.F. 04510 México.